INDEX TO VOLUME 19

Page numbers printed in black-faced type refer to headings of articles or of sections. Names in lists of "Literature cited" are not included.

Abnormalities, mediaeval theories of, 495
Academie d'Agriculture, xi
Academie des Sciences, ix
Acetic acid, 210, 450
Acetone, 484, 496, 498
Acrididae, 113
Acridian, 262
Acroteriasis congenita, 493
Acrydium, 113
ADELMANN, H. B., 497
AGAR, W. E., 600
Aggregata eberthi, 115
Agnathia, 494, 497, 502
Agriculture, United States Department of, 74, **119**
AIDA, T., 591, 596
Alcohol, 496, 498
Aleurodidae, 264
Alfalfa, 532
Algae, tetrad analysis, 263
ALLEN, C. E., 263, 565
ALTENBURG, E., 344, 345
ALVERDES, F., 469
Amblystoma, 497
  Agnathia, 497
American Poultry Association, 310, 311, 314
Ammonia, 496
ANDERSON, E., 86, **157**, 159, 161, 162, 164
ANDERSON, E. G., 437, 446, 564
ANDERSSON-KOTTÖ, I., 263
ANDRIEUX, ix
ANDRIEUX ET VILMORIN, ix
D'ANDRIEUX, ADELAIDE, ix
Angiosperm, 552
Animal
  Effect of external conditions on sexual expression, 556
  Parthenogenesis, 237
  Piebald coat color, 189
Anthocyanin, 571
Aplocheilus latipes, 591, 596
  Gene
    Brown, 591, 596
    Red, 591, 596
    White, 596
Apotettix, 113
  eurycephalus, **323**, 328
    Discovery of lethal, 323
    Embryonic development, 323, 325, 326, 328
    Embryonic stage attainable by homozygous lethals, 325
    Operations of lethal factor in, 323
    Parthenogenesis, 323
    Stimulating effect of heterozygous lethal, 326
Aprosopus, 502
Aqueduct of Sylvius, 388
Arcella, 42
ARISTOTLE, 495
ASHURBANIPAL, 495
ASTRAUROW, B. L., 95
Atropine, 496
Azygosis, 252, 262

BAGG, H. J., 493
BALDWIN, W. M., 498
BALLANTYNE, J. W., 487, 494–496.
BALMUKAND, B., 119, 369
Banana-agar medium, 19
BANTA, A. M., 556
BARDEEN, C. R., 498
Barley gene mutations induced by X-rays and radium, 209
BASSETT, C. F., 329
BAUER, H., 116, 176, 184, 186, 187
Bausch and Lomb projecting apparatus, **19**
BEADLE, G. W., 107, 112, 116, 430, 434, 436, 439, 445
BÉCLARD, 496
BEDICHEK, S. C., 234, 448, 457
BELAR, K., 106, 157
BELLAMY, A. W., 595
BELLING, J., 234
BENKERT, L. H., **237**, 269, 281, 284
BENNETT, A. A., 416
BERNSTEIN, F., 546
Bibio, Chromosomal association 187
  Cells of, 187
    Brain, 187
    Intestine, 187
    Salivary gland, 187
  hortulanus, 176, 186, 187
Binocular dissecting microscope, 19
BLAKESLEE, A. F., 209, 234, 430, 443
Blandy Experimental Farm, **568**, 569
BLANK, 365
BOCHE, R. D., 96
BOLEN, H. R., 181, 234, 457
Bombyx mori, 114, 115
BORN, 497
BOSTIAN, C. H., 238, 257
BOSTIAN, N. C., 238, 272, 273, 277, 280, 285
BOYCOTT, A. E., 484
BRESSMAN, E. N., 80–82
BREWSTER, 463, 464
BRIDGES, C. B., 19, 21, 83, 86, 91, 102, 252, 344, 345, 352, 353, 355–357, 359, 362, 451, 494
BRIGGS, F. N., **73**, 75, 77, 79
BRINK, R. A., 430, 431
BRITTINGHAM, W. H., 62
Brooklyn Botanic Garden, 570
BROOKS, B. W., 400
BRYDEN, W., 112
Bryophyte, 552
BUCHHOLZ, J. T., 209

Bunt, **73**, 75, 78–82
  Infection, 75, 77, 78, 80
  Resistance, **73**–75, 77, 79–82
    Experimental results, 75
    Inheritance of, 73
  Susceptibility, 75, 77–81
BURNHAM, C. R., **430**, 431, 434, 437, 439, **441**, 443
BUSHNELL, L. D., 293
Bussey Institution, **365**, 368, 377
BÜTSCHLI, O., 27
Butyric acid, 484, 498

Cabbage, 532
Caffeine, 498
California Institute of Technology, **95**, 116, **344**, **430**, 446
California, University of, 73, 412
CALKINS, G. N., 36
Calliphora, 95, 110
Camera lucida, 179, 180, 182
Campanula, 157, 158, 160, 161, 164–166
  Types of chromosome interlocking, 160
Cannabis, 262, 560
Capillary pipette, 26
Carbohydrate storage
  Maize, 263
  Rice, 263
CARMICHAEL, W. J., 331, 332, 339
Carnegie Institution of Washington, **268**, 344
CAROTHERS, E. E., 262
CARR-SAUNDERS, A. M., 307
CASHDOLLAR, H., 238
CASTLE, W. E., 338, 342, 392, **506–510**, 522, 537, 546, 550, 595
CATCHESIDE, D. G., 157, 159, 160, 164, 165
Caterpillar, 272, 273, 276, 277, 280, 290
Cattle
  Holstein Friesian, 493
  Lethal abnormality, 493
Caviidae, 506, 537
Cereals, ix, x
CHALMERS, R. E., 290
CHESTRE, L., 517
Chiasmatization, 86, 87, 91, 93
Chicago, University of, **471**, 474, **506**, **537**
Chicken, abnormalities among artificially incubated chicks, 496
CHIDESTER, F. E., 484
CHILD, C. M., 498–500
Chilodon uncinatus, 42, 43
Chilomonas, 25, 26
Chlamydomonas, 43
Chloral hydrate, 499
Chloroform, 496, 499
Chromium radiation, 193, 199
CHURCHWARD, J. G., 80, 81
CLARK, F. H., **365**, 380, 388
CLARK, J. A., 81
CLELAND, R. E., **62**, 157, 160, 234
CLOUDMAN, A. M., 412
Cocaine, 496
Coccidiosis, 295, 298, 305, 306
COHEN, B. M., **25**, **40**, 49
COLIN, E. C., 476
COLLINS, G. N., 120, 554
Columbia dishes, 26
Columbia University, 93, 366
Connecticut Agricultural Experiment Station, 552
Copper X-ray, 190
Cornell University, **137**, 446
CORRENS, C., 137, 140, 555, 560, 566, 568, 571, 577
Cosmobia, 497
Coupling tests, 238, 239, 252, 253, 259, 262
CREIGHTON, H. B., 430, 432, 434, 445, 446
CREW, F. A. E., 112, 114, 356, 556
CUÉNOT, 595
CULBERTSON, C. C., 329
Culex, 264
CULL, S. W., 36
Culture slides, two-depression, 26
Cyclopia, 484, 487, 492, 494–502
Cyclorrhapha, 110, 111
Cyprinodontes, 581, 596

DALE, E. E., 395, 396
DANFORTH, C. H., 367
DARLINGTON, C. D., 62–64, 67, 71, 86, 87, 90, 91, 93, **95**, 104, 106, 109, 111–113, **157**, **159–161**, 164, 234
DARESTE, C., 495, 496
Datura, 430
  Gene mutations induced, 209
  Pollen lethals, 263
  Pollen-tube growth, 263
  Segmental interchange, 234
  Tertiary types, 443
DAVID, P. R., 238
DAWSON, J. A., 42, 43
DEAN, L. M., 323
DECAISNE, x
Delphinium adjacis, flower color, 189
DEMEREC, M., 137, 144, 146, 189, 204, 205, 451
DEMING, G. W., 121, 126
DEMOCRITUS, 495
Dendrocoelum, 157
Diabetes, 498
Dicephalus, 501
Dichotomy, 513
Diptera, 95, 110, 116, 176, 186, 467, 469
DOBROVOLSKAIA-ZAVADSKAIA, N., 367, 389
DOBZHANSKY, TH., 20, 21, 84, 95, 96, 116, 185, 199, 220, 234, **344**, 345, 363, 441, 442, 464
Dollo's law, 506
DORTAN, DE, M., x
Drosophila, **18**, 60, **95**, 98, 102, 104, 106–108, 110–113, 115, 116, 184, 186, 187, 189, 206, 208, **209**, 218, 219, **223**, 225, 234, 235, 237, 238, **344**, 345, 356, **448**, 463, 464, 468
  Abnormality, 193, 198, 210, 220, 227, 358
  Abnormality of chromosome pairing, 110
  Attraction between parts of homologous chromosomes, 462
  Autosome pairing, 97
  Bar series, **18**, 21–23
    Bar, 18, 21, 23
    Culture medium, 19
    Double-bar, 18, 19, 23
    Effect of supernumerary X chromosome, 18
    Facet counts, 19

Drosophila (continued)
Infra-bar, 18, 19, 21, 23
Temperature control, 19
Breakage a phenomenon of the matrix, 220
Breeding tests, 220, 221, 226, 448
Causes of mottling, 202
Chromatin dislocation, 175
Chromosomal abnormalities, 216, 226, 233
Chromosome behavior, 189
Chromosome complement, 95
Chromosome constitution, 189
Chromosome morphology, 217
Chromosome rearrangement
Changes at left break of inversion, 355
Changes at right break of inversion, 352
Dominant effect of Plum, 359
Dominant eye colors and the position effect hypothesis, 362
Plum not a simple deficiency for brown, 354
Coincidence values, 92
Comparison of visible mutations produced by X-ray, 209
Comparison of mutations frequencies of different groups of the same sex, 213
Comparisons of mutations in sex, 213
Contamination, 209, 210
Crossing over induced by X-rays in males, **223**, 235
Experimental results, 224
Crossing over, temperature effect on, **83**, 86, **89**, **90**, 93
Crossover tests, **227**, 228
Location of lethals, 233
Cytological theory of crossing over, 111
Deletions, 465
Differential viability, 235
Distribution of abnormal meiosis, 109
Dominant eye color, 352
Double crossovers within inverted sections, 347
Effect of Gowen gene on male, 116
Effect of sex upon mutability, 211
Effect of temperature on production of super-females, 20
Egg maturation, 18
Embryological development, 190
Embryonic death rate, 191
Facet production, 22, 23
Fertility, 192, 194, 196, 199, 202, 206, 207, 226
Gene
Achaete, 451
Apricot, 203
Apterous, 355
Aristaless, 83, 347, 349, 355, 359
Bar, 180, 185, 190, 193, 194, 199–201, 344–346, 455, 459–461, 465–467
Beadex, 190, 191, 194, 199
Bent, 181
Black, 83, 191, 200, 347, 359
Bobbed, 180, 196, 198, 200, 201, 204, 345, 448, 454, 456, 459, 460, 465, 467, 468
Bristle, 347–352, 355, 358, 359
Abbreviated, 352–354
Minus, 352, 353, 359, 363
Broad, 199, 203, 205, 456
Brown, 211, 348, 350, 352, 353, 354–363

Drosophila (continued)
Gene (continued)
Brown-eye, 210, 346
Carmine, 458
Carnation, 180, 356, 456, 458, 459, 461, 462
Champagne, 203
Cinnabar, 83, 349–351, 356, 358
Claret, 192, 223, 224, 233, 356
Crossveinless, 191, 194–197, 199, 203, 457, 458
Curly, 177–180, 182, 191, 192, 194, 200, 346, 349–351, 353, 354, 357–361
Curved, 191, 200, 347–349, 355, 359
Cut, 451, 458
Dachs, 355, 359
Dichaete, 192, 194, 200, 227, 228
Dilute-1, 352, 354, 363
Dilute-2, 352, 354, 363
Dumpy, 83, 191, 200, 347, 355, 359
Echinus, 191, 194–197, 199, 203–205, 207, 451, 457
Eosin, 203
Eversporting, **189**, 345
Eyeless-2, 195
Facet, 181, 183, 185, 205, 454, 457
Forked, 204, 210, 211, 346, 455, 458, 461, 465–467
Furrowed, 458, 463
Fused, 461, 462
Garnet, 451, 458, 460, 461
Garnet-2, 346, 356
Gray, 19, 460, 461
Hairless, 192
Hairy, 192, 200
Hooked, 355, 358
Kurz, 199, 203, 205
Light, 355–359, 361–363
Lobe, 83, 349
Lozenge, 185, 454, 455, 459, 460, 463
Maroon, 356
Miniature, 180, 185, 190, 191, 194–196, 199, 204, 455, 458, 460, 461
Minute, 195, 357
Moiré, 223, 224, 227
Mosaic, 215, 218–221, 354, 358
Mottled-1, **190**–194, 200–**202**, 204–208
Linkage tests of, 191
Mottled-2, 192, **193**–198, 200, 201, **202**–208
Mottled-3, **199**–201, **202**–208
Mottled-5, 181, 182, 186, 457
Mottled-eye color, 189, 190, 353
Mottling, **189**, 190, 196
Causes of, 202
Eversporting in, 204
Notch, 194, 198, 199, 201, 203–205, 207
Orange, 346
Pale, 353–355, 357, 359–361
Plexate, 360
Plexus, 347, 348, 352–355
Plum, 350, **354**, 356, **359**–361, 363
Dominant effect of, 359
Plum-1, **346**, 352–355, 357, 359–361, 363
Behavior in triploids, 355
Plum-2, **346**–349, **350**–360, 363
Allelism to Plum-1, 346

Drosophila (continued)
Gene (continued)
Plum (continued)
Association with inversion in right limit of chromosome II, 346
Cytological determination of inversion, 350
Effect of duplication on, 359
Origin of, 346
Prune, 199, 203, 205, 356
Purple, 83, 84, 346–348, 355–358
Purploid, 356
Red, 189, 191, 201, 202, 205, 207, 208
Red-eye, 192, 193, 195–204, 206
Rolled, 355
Rough-eye, 202, 207
Roughoid, 192, 200
Ruby, 190, 196, 197, 203, 204, 207, 458
Rucuca, 223, 224, 226–228, 230–233
Sable, 346
Scalloped, 451, 461
Scarlet, 356
Scute, 199, 203, 205, 210, 211, 451, 454, 456
Scute-1, 215
Scute-8, 451
Silver, 199, 203, 205
Sooty, 20, 192, 200, 224, 232
Speck, 83, 191, 200, 347–349, 352–355, 359
Spread, 191, 194, 195, 197, 200
Stubble, 191, 192, 194, 353, 354, 357, 360
Thick, 355
Vermilion, 180, 185, 191, 203, 204, 207, 210, 211, 346, 356, 459, 460
Vestigial, 83, 344
White, 183, 189–193, 195, 196, 199–208, 353, 454, 457
White-eye, 181, 190, 192, 193, 197
Wild-type, 21–23, 190, 226, 344–346, 349, 355, 357, 359–361
Yellow, 18, 20, 191, 194–197, 199, 200, 203–205, 210, 211, 215, 346, 355, 454
Genes, 60
Genetic constitution, 206
Unstable, 189, 190
Germinal tissue, 468
Heritable variations produced by irradiation, 209, 221
Induced translocations, 234
Inheritance, 220
Interchange involving small pieces, 442
Interference, temperature effect on, 83, 85, 93
Inter-racial hybrids, 95
Irregular cleavage, 219
Irregular maturation, 206, 207
In male germ cells, 207
Linkage, 62
Mechanics of pairing, 104
Autosomes, 104
Classification of forces, 107
Sex chromosomes, 108
Meiosis type, 111
melanogaster, 83, 89, 90, 96, 102, 106, 109, 110, 115, 116, 175, 184, 187–189, 209, 221, 223, 344, 345, 363, 448, 464, 467, 469
Chromosomal aberrations, 175
Drosophila (continued)
melanogaster (continued)
Chromosome map for X chromosome in salivary glands, 448
Morphology of the X chromosome in salivary glands, 448, 450
Oögenesis in female, 116
Plotting of chromosome maps, 175, 183
Relation of dominant eye color to associated chromosome rearrangement, 344
Somatic heteropycnosis, 467
Time coordination, lack of, 109
Variegation in eye color, 345
Method of securing immature germ cells, 210
Morphological limits of gene loci, 451, 456, 457, 462
Morphology, 95, 96, 112, 357, 448, 449, 450, 451, 458, 460–465
Morphology of X chromosome, 448
Clb inversion, 458
Deletion 14, 456
Delta 49 inversion, 458
Translocations, 457, 459, 460, 461, 464
Mottled-2 crossed with mottled-1 and mottled-3, 202
Mutation frequencies, 217
Mutations
Frequency of, in X chromosome, 211
Partial, 214, 218, 220
Radical, 214, 218, 219
obscura, 95
Oöcyte maturation, 198, 206
Oögonial metaphase, 181, 185, 190, 193, 194, 198, 201, 202, 208
Pale translocation, 344, 345, 353
Pattern of lines and bands in X chromosome, 463
phalerata, 102
Prematuration heredity an agent of various lethal effects, 484
Production of visible mutations
Materials and methods, 209
pseudo-obscura, 95, 96, 102, 103, 106, 108, 110, 115
Anomalous chromosome pairing in the male, 95
European species, 95
La Grande-2, 96, 101
La Grande-4, 96
North American species, 95
Pointed, 96, 97, 101
Seattle-1, 96, 101
Seattle-2, 96, 100, 101
Seattle-4, 96, 105
Seattle-5, 96–99, 101–103, 105
Seattle-6, 96, 99–103, 105
Texas, 96–100, 103, 105
Reduplicated legs, 494
Regular maturation in female mottled-2 germ cells, 207
Regularity of segregation, 106
Relative susceptibility of genic material to transmuting power of irradiations, 216, 217
Salivary glands, 175, 176, 179, 181, 183–187, 449–451, 456, 457, 459, 462, 464–469
Morphology of, 175, 448

Drosophila (continued)
Salavory glands (continue ¹)
Preparation for study, 449
Preparation of stain, 450
Somatic synapsis, 462
Sex chromosome pairing, 98
Non-disjunction, 102
Normal behavior, 98
Precocious separation, 102
simulans, 102, 219, 463, 464
Indeterminate cleavage, 219
Single crossovers with reduced frequency outside inverted sections, 347
Spermatocyte maturation, 198, 206
Spermatogonial maturation, 208
Spermatozoa, continuous development of, 225
Sterility, 189, 194, 196, 207, 214–220, 225
Temperature effect, 83
Temperature variations, 20
Translocations examined cytologically and genetically, 464
Transmutation frequency in immature male cells, 216
Types of differentiation of sex chromosomes, 114
Distal differential segments, 114
Distal differential segments in both arms, 115
Distal homologous or pairing segments, 114
Proximal intercalary pairing segments, 115
Proximal non-homologous or differential segments, 114
Proximal pairing segments, 114
Typical structure of X chromosome, 451, 454, 455
Viability factor, 205
virilis, 205
Eye color, 189
Variable miniature, lack of effect of temperature on, 204
Wing shape, 189
Visible mutation rate, 216
willistoni, 102
X-ray technique for producing chromosome rearrangements on a large scale, 344
Drosophila Information Service, 451, 454
Duck, 310
Alleles of mallard plumage pattern, **310**, 319, 321
Buff, 312, 317, 318, 321
Description of types, 310
East India, 317, 321
Evidence for allelism of restricted, mallard and dusky, 319
Experimental work, 315
Relation of dusky to mallard, 315
Relation of restricted to mallard and dusky, 317
Fawn, 319
Gene
Black, 310–312, 314, 315, 317
Brown, 311, 313, 315, 321
Buff, 315, 316, 321
Claret, 312, 314, 315
Horn-color, 311
Duck (continued)
Gene (continued)
Mottled, 311
Rufous, 315
Slate, 311
White, 310, 311, 314, 315, 321
White-spotting, 319, 321
Yellow, 310–315
Gray Call, 310
Inheritance of plumage patterns, 321
Inheritance of white-spotting, 319
Mallard, 310–312, 315–317, 321
Plumage pattern
Dusky mallard, 310, **312**–314, **315**, 316, **317**–321
Coal black, 313
Freak, 313
Sooty aberrant, 313
Sooty black, 313
Urais petit negrillons, 313
Mallard pattern, **310**, 312–**315**, 316, **317**–319, 321
Restricted mallard, 310, **314**, 315, **317**–321
Relation of restricted, mallard, and dusky to white-spotting, 319
Rouen, 310, 315
Stripes, 311, 314
White Indian Runner, 319
White neck ring, 311, 314, 319, 321
White Pekin, 310, 312, 315–318, 321
DUGES, 496
DUNN, L. C., 389, 392
DUNN, R., 329
DUNNING, W. F., 239, 254, 269

Earthworm, 177
EAST, E. M., 167
EATON, O. N., 471–474, 485, 515, 529
EMERSON, R. A., 189, 436, 437, 446, 553, 554, 561, 565
EMERSON, S., 62, 63, 68, **69**, 71, **137**
EMPEDOCLES, 495
Endomixis, 25
ENGELMANN, T. W., 27
Eristalis, 110
Ether, 496
Ethylalcohol, 499
Euchlaena, 430
Euplotes, 25, 26, 42, 43, 49, 60
Abnormality, 42, 50
Biparental inheritance, **36**, 50, 57
charon, 27
Conjugation
Culture method, 26
Experimental methods, 44
Experimental results, inheritance of form, 45
Fission rate in relation to form, **53**, 59
Form, 50, 59
Inheritance, **31**, 53, 56, 59
Maturation, 57, **58**
Morphology, 42
Mortality, **30**, 39, 46
patella, **25**–27, 32, 37, 38, **40**, 41, 43, 57, **58**
Body form, inheritance of, 40, 45
Conjugation, 40
Effect of conjugation within a clone, **25**, 36, 38

Euplotes (continued)
Reconstruction stage, 27, 28, 38, 40, 51
Redifferentiation, 27, 28, 39, 57
Reproduction, 30
Similarity and dissimilarity of descendants, 49
Variation, 31
Viability, **51**, 59
EVVARD, J. M., 329
EYSTER, W. H., 152, 204

FAUST, E. C., 262
Fecundity, inheritance of, 600
FELDMAN, H. W., 493
FÉRÉ, 496
FERGUSON, M. C., **394**, 399, 400
Filter paper, 26, 176
FINN, F., 313–316
FISHER, R. A., 119, 329, 369
Fixative
Benda's solution, 95
Navashin's fluid, 350
Foetal disease, 495
Fowl, **600**–602, 604–607, 610, 613, 614, 616, 617
Abnormalities among artificially incubated chicks, 496
Age at sexual maturity, **600**–608, **609**, 612–617
Annual egg production dependent on
Broodiness, 600, 601
Intensity, 600, 601
Maturity, 600, 601
Persistency, 600, 601
Winter pause, 600, 601
Blood-serum, 293
Brown Leghorn, 612, 613, 615
Columbian pattern, 610
Gene
Barred, 600, 601, 610–617
Black, 610
Gold, 600, 601, 610–617
Non-barred, 600, 601, 611–615
Rate of feathering, 610–617
Shank color, 610
Silver, 600, 601, 610–617
White, 613, 614
Inheritance of age at sexual maturity in the domestic fowl, **600**, 607, 608
Effects of sex-linked and autosomal factors, 604, 606, 607, 617
Experimental results
Backcross generation, 605
Maturity in males, 607
Reciprocal matings of early and late maturing strains, 603
Selection, 601
Mode of inheritance, 603, 608
Injection of rabbit lens material, 300
Location of gene for age at sexual maturity on the sex chromosome, **609**, 612, 617
Evidence for sex linkage of maturity differences in crossbreeding, **609**, 613
Order of genes, 610
Position of sex-linked gene for maturity, 612
Mortality, 614
Plumage and comb development, 601, 608
Fowl (continued)
Plymouth Rock, Barred, 610, 612, 613, 615
Rhode Island Red, 601, 608, 609, 612–614, 617
Sexual maturity, 600
White Leghorn, 609, 612–614, 617
Fragaria, 167–171, 173, 174
A novel type of hybridity, 167
Achenes, 168, 172
Asexual reproduction, 173
Calyx lobes, 168, 172
chiloensis, 167
Experimental work
Observations on F_2 generation, 169
Observations on supposed hybrid and parents, 168
Fertility, 169
Fertilization, 173, 174
Flavor, 172
Flesh, 172
Flowers, 168, 172, 173
Fruits, 167–169, 172, 173
Hairs, 168
Hand-pollination, 169
Leaf characters, 172
Leaflets, 167–169, 172, 173
Non-dehiscence, 169, 173
Petioles, 168, 171, 173
Pollen abortion, 169
Pollen contamination, 173
Pollen fertility, 173
Pollen sterility, 173
Pollination, 172
Rootstocks, 167–169, 171, 173
Runners, 168, 169, 171, 173
Scapes, 168, 172, 173
Shape of leaves, 171
Stamens, 168, 172, 173
Sterility, 169, 172–174
Variation, 170, 172, 173
vesca, 167, 171, 174
vesca alba, 168–170, 172
virginiana, 167–174
FRASER, A. C., 596
Fritillaria meleagris, 115
Frog
Cyclopia, 497, 499
Haploid parthenogenesis, 263, 264, 266
FROLOWA, S. L., 95, 110
Fundulus
Cyclopia, 484, 497, 498
Ultra-violet treatment of eggs, 501
Fungi, 263, 265
Tetrad analysis, 263

GAINES, E. F., 80, 81
GAIRDNER, A. E., 157, 159, 161, 164
Galton and Mendel Memorial Fund, 1, 119, 189, 412, 506
Gammarus, 484
GAY, E. H., **189**, 190, 202, 359
GELEI, J., 157
Gene action, physiology of, 471
Genes, frequency of, 1, 2
Genetic studies
Animals, 1
Plants, 1

GENETICS, 176, 310, 619
Change of policy, 310
Genetics Congress, x, xi
Genetics of characters, 471
GERHARD, K., 62
GILMORE, K. A., 238, 269, 272, 276, 277, 281, 285, 291
GLASS, H. B., 224, 234, 345, 352, 354, 362, 363, 458
Glucose, 496
GOLDSCHMIDT, R., 114, 263, 566
GOODALE, H. D., 314, 315, 600
GORDON, M., 596
Goucher College, 62
GOULD, G. M., 495
GOWEN, J. W., **189**, 190, 202, 206, 359
Grain
Relation of pericarp to embryo, 262
GRAUBARD, M. A., **83**, 88, 91, 92, 349, 350
GREB, R. J., 238, 273, 277, 281, 285
GREGORY, P. W., 338, 342
GROSCURTH, M., 345
Grouse locust, 265, 266, **323**
Diploid parthenogenesis, 265
Guinea pig, **471**, 473, 478, 479, 486, 487, 493, **494**, 501–503, **506**, 508, 511, 521, 534, **537**, 543, 550, 591, 595
Abnormal development, 474–476, 480, 481, 484, 487, 489, 490, 492–494, 503, 541
Agnathia, 473
An analysis of variability in number of digits in an inbred strain, 506
Age of dam, **522**, 535
Comparisons of 3-toed and 4-toed individuals, 533
Corrections for age of dam, 529
Correlation between litter-mates, 518
Correlation between parent and offspring, 515
Degree of determination by heredity, 513
Differentiation of substrains, 510
Previous genetic results, 507
Seasonal effects, **530**, 536
Sex, 522
Size of litter, 532
Variability of digits of one foot, 521
Weight of dam, 528, 535
Asymmetry, 535, 536
Atavistic little toe, 534, 536, 537
Beltsville stock, **515**, 518–523, 526, 527, 529–537, 543, 545
Breeding tests, 538, 549
Character
Extra toe, 507, 508, 510, 522, 541
Four-toe, 508, 511–513, 515, 517, 518, 523, 526, 529, 530, 532, **533**–541, 543, 545–547, 549, 550
Hallux, 510
Pollex, 510
Three-toe, 510–513, 515, 517, 518, 530, **533**, 534, 537–541, 543, 546, 547, 549, 550
White, 515, 529, 532
Chicago stock, **515**, 517, 519–523, 526, 528, 529, 531–538, 542, 543, 545
Club-foot, 541
Guinea pig (continued)
Crossbreeding experiments between highly inbred strains, 338
Cyclopia, 473, 501, 502
Dichotomy, 513
Digits, **506**, 513, **521**, 533, 535, **537**, 538
Environment of litter-mates, 341
Evidence of segregation, 540, 550
Feeding cycle at Beltsville and Chicago, 532
Fertility, 538, 540
Gene
Agouti, 595
Albino, 595
Black, 591, 595
Red, 591
Tortoise, 591
Genetics of subnormal development of the head (octocephaly), 471
Gestation length, 335
Hair pattern determiner, 595
Hydrocephalus, 492
Inbreeding, 475, 479, 487, 506, 515, 532
Matroclinous tendency, 543
Mendelian heredity, 484, 486, 490
Microphthalmia, 492
Mortality, 334, 529, 532, 533
Otocephaly, **471**, 474–478, 481–490, 492–494, 499, 501–503, 519, 522
Deductions from family history, 477
Effect of crossbreeding on other characters, 485
Effect of size of litter, 481
Function of heredity of egg after fertilization, 486
Genetic possibilities, 484
Genetics of allied abnormalities, 493
Grades of defect, 472
Mendelian units, 487
Occurrence in different strains, 473
Occurrence in litter-mates, 479
Occurrence of high grades, 490
Relation of high grades with brain defect to commoner types with normal brain, 490
Relation to sex, 486
Tests of paternal heredity, 485
Theories of causation, 494
Physiological effect of age of mother on egg or embryo, 527, 535
Polydactyly, 481, 494, 506–511, 513–515, 517, 519, 521–523, 527–536, 538–544, 546–548, 550
Results of crosses between inbred strains differing in number of digits, 537
Estimation of number of factors, 546
Means and standard deviations, 543
Sex ratio not affected by litter size, 331
Significance of sex difference in birth weight, 332
Tendency to concurrence of polydactyly in litter-mates, 519
White-spotting, 481, 494, 519, 522, 543
GUYÉNOT, E., 95, 113, 116, 117
GUYER, M. F., 293, 294, 297, 306, 307, 309

Habrobracon, **237**, 238, 252, 266, **268**, 284, 290
Azygotic ratio, **237**, 238, 266
Biological and statistical significance of data, 252
Technique and materials, 238
Fertility, 269, 272, 273, 281, 284, 290
Gene
Aciform, 239, 262, 266, 278, 280
Antennapedia, 277, 278, 280
Attenuated, 280
Bar-eye, 239, 254, 269
Beaded, 239, 257, 260, 262, 284
Bent-wings, 272, 274
Black, 255, 257
Black-eye, 261, 272
Broad, 239, 260, 261, 266
Cantaloup, 239, 256–260, 266, 277, 281, 282
Carrot, 269, 272, **285**, 288–290
Club, 239, 262, 277, 278, 288, 290
Crepe-wings, 239, 257, 259, 261, 262, 266, 274, 276
Crescent, 239, 256, 261, 262, 270, 272, 276, 290
Cut, 239, 273, 274
Defective, 239, 254, 256, 258, 259, 266, 272, 273, 285
Droopy, 276, 282, 289, 290
Dwindling, 280, 282
Extended-head, 239, 258, 262, 270, 272, 288
Extended-wings, 239, 276, 277
Extreme-small, 239, 269, 270, 290
Eyeless, 239, 254, 256, 257, 260, 261, 266, 269, 270
Flare, 273, 274
Footless, 277, 278, 290
Fused, 239, **260**, 266, **285**, 289, 291
Gabled, 272, 274, 289
Glass, 239, 260, 262, 266, 281, 282
Gynoid, 239, 261, 262, 266, 281
Honey, 239, 258, 259, 262, 266, 281, 284
Indented, 239, 273, 274, 288
Inviable, 276
Ivory, 239, **252**, 256–258, 277, **285**, 288, 291
Kidney, 239, 251, 255, 256, 266, 269, 270, 284–286, 290
Leglike, 277, 278, 280, 289
Lemon, 281, 284, 288
Long, 239, 257–259, 266
Maroon, 239, 256, 258, 261, 266, 281, 282
Maroon-eye, 257
Miniature, 239, 255–257, 260, 266, 284, 285, 286
Minnesota-yellow, 285, 288
Mosaic, 238, 276, 285, 289, 291
Narrow, 239, 258, 259, 262, 266
Orange, 239, 251, 252, 254–258, 266, 269, 272, 273, 281, 284, 285
Pebbled, 270, 272, 289
Pointed, 239, 273, 274
Reduced, 239, 254, 256–258, 260, 266
Semilong, 239, 256, 262
Shot-vein, 239, 257, 258, 261, 262, 266, 269, 281, **285**, 288, 291
Small, 239, 256
Habrobracon (continued)
Gene (continued)
Small-eye, 256, 269, 270, 290
Small-wing, 274, 276
Spread, 239, 257, 261
Strap, 239, 262, 273, 274
Stumpy, 239, 262, 266, 269, 285, 288–290
Tapering, 239, 262, 276, 277, 281, 285, 288
Truncated, 239, 258, 261, 266, 273, 274, 288
Twisted, 239, 262, **290**, 291
Sterility of females, 290
Variegated, 270
Vestigial, 239, 256, 260, 262
Wavy, 239, 260, 266
White, 239, 256, 257, 261, 262, 266, 269, 272, 277, 285, 288–291
White-eye, 252
Wild-type, 258, 260, 262, 270, 272, 273, 276–278, 280–282, 284, 285, 288, 290
Wrinkled, 239, 256, 260
Yellow, 239
Gene mutations induced by X-rays, 209
Intersexuality, 281
Inviable pupae, 284, 285
juglandis, 268
Mutants, **268**, **269**, 290
Relation of mutations to X-radiation, 288
Stage at which mutation occurs, 289
Sterility, 238, 254, 269, 272, 273, 280, 290
Viability, differential and normal, 252, 253
Haines, G., 331, 332, 334, 478
Haldane, J. B. S., 93, 112, 143, **412**, 417, 418, 420
Haller, 496
Hammond, W. E., 329
Hanson, F. B., 216
Harelip, 492, 495, 496
Harvard University, **157**, 167, **365**
Harvey, W., 496
Hays, F. A., 600, 604, 606, 608
Heckel, 581
Heimerl, A., 568
Heitz, E., 176, 184, 186, 187, 467, 468
Herbaceous plants, ix, x
Heredity, human, 1, 3
Plants, ix
Hermaphrodite, 559, 560, 563
Hersh, A. H., 18, 21
Hersh, R. K., 19, 22
Hertwig, P., 610
Heteropycnosis in plants, 467
Hetzer, H. O., 329
Hinrichs, M. A., 500
Hippocrates, 495
Hirst, B. C., 501
Hoge, M. A., 494
Holt, C. M., 264
Honey-bee, 264, 266
Gene
Black-eye, 264
White-eye, 264
Gray Carniolan, 264
Yellow Italian, 264
Hubbs, C. L., 581
Huettner, A. F., 102, 106, 110, 113, 219, 220
Human heredity, 1, 3

Human inheritance, 1
  Matings involving a unit character, 1
Humphrey, E., 171
Humulus, 114, 560
Humulus japonicus, 115
Hunt, B., 399
Hunt, H. R., 365–368, 370, 376, 377, 383, 387, 391, 392
Hurst, C. C., 600
Hutchinson, J. B., 119
Huth, 106
Huxley, J. S., 307
Hydrochoeridae, 506
Hygrade Packing Company, 294
Hyman, L. H., 499
Hymenoptera, 264
Hypodermic needle, 299
Hypotricha, 27, 41

Ibsen, H. L., **293,** 591
Ichijima, K., 171
Immer, F. R., **119,** 143
Imms, A. D., 110
Inbreeding, 55, 56, 60
Inbreeding to fix characters, 412, 413
Inheritance, human, 1
Inoculation, 75, 82
Iowa Agricultural Experiment Station, 329, 330, 334, 342
Iowa State College, 329
Iodin fixation, 37, 40
Iodin-KI solution, 441

Jaap, R. G., **310,** 319
Janssens, F. A., 111, 113, 165
Janssens' hypothesis, 111, 165
Jaundice, 498
Jennings, H. S., 25, 36, 38, 42, 43, 49, 50, 57
John Innes Horticultural Institution, 95
John Morrell and Company, 294
Johns Hopkins University, 25, 40, 189
Jollos, V., 42
Jones, D. F., 137, 140, 142–144, 146, 148, 149, 152, 156, **552,** 558, 564
Josephy, H., 497

Kale, 532
Kamenoff, R. J., 366, 367
Kansas Agricultural Experiment Station, **293, 323, 600,** 601
Kansas State College, xi
Karrer, E., 18
Katsuki, K., 114
Kaufmann, B. P., 217, 218
Keeler, C. E., 368, 377, 378, 386, 392
Kelley, T. L., 519
Kellicott, W. E., 498
Kent, S., 41
Kerckhoff, William G., Laboratories, 430
Kerrigan, A. M., 581
Keuneke, W., 95, 104, 110, 111
Kiernan, F. P., 568, 570–572, 575, 576, 579
King, E., 161
King, R. L., 265
Kingsley, L. L., 323
Kobozieff, N., 367
Koller, P. C., 95, 112, 114
Koonce, D., 121, 126

Krafka, J., Jr., 22
Kuhlman, A. H., 331, 332

Lamy, R., 356
Lancefield, D. E., 95
Laplat, G., 499
Larson, I., 323
Lashley, K. S., 36, 49, 50
Lead treatment on guinea pigs, 476
League, B. B., 223, 225, 235, 463
Lebistes, 552, 595
Lebistes reticulatus, 596
Lens antibody, 293–299, 301, 303, 304, 307–309
Lewis, W. H., 497, 498
Li, J. C., 355
Lindstrom, E. W., 263
Linkage alteration, phenomenon of, 62
Linkage intensities, calculation of
  Comparison of F_2 and F_3 classification when homozygotes for one character die, 132
  Comparison of F_2 and F_3 when all genotypes fully viable, 131
  From F_3 data, 119, 123
Little, C. C., 368, 374, 377, 378, 392, 412, 493
Locust, 223
Loomis, A. L., 18
Love, H. H., 81
Luce, W. M., 20
Lush, J. L., 329
Lymnaea, 262
  Direction of coiling of shell, 484
Lynch, R. S., 25, 29, 44

MacArthur, J. W., 610, 612
McLendon, J. F., 498
McClintock, B., 430, 434, 437, 439–442, 446
Macdougall, M. S., 42, 43, 56
MacDowell, E. C., 388, 392
Mackensen, O., 449, 454, 457, 464
McKenzie, F. F., 331, 332
McKie, E. V. M., 498
McPhee, H. C., 330, 473
Magnesium salts, 498
Maize, **137,** 149, **430, 436,** 441, 445, **552,** 553, **554–557, 558,** 559, 561, 564–**566**
  Aleurone, 142
    Colorless, 144
    Purple, 144
  Breeding behavior of semisterile plants, 431
  Calculation of linkage intensities, 146
  Carpellate-flowered, 553, 557, 566
  Chlorina seedlings, 121
  Chromosome morphology, 446
  Competition in synapsis, 441
  Cross-sterility, 138
  Crosses of starchy and sugary, **138, 151**
  Crossing over between chromosome 9 and its teosinte homologue, 436
  Cytogenetic studies of an interchange between chromosomes 8 and 9, 430
  Degree of sterility, 441
  Differential fertilization genes, relation of, to other genes of linkage group (*Ga ga* to *Su-Tu*), 137
  Differential pollen-tube growth, 137, 138
  Dioecious, 552, **558**–561, 563–**566**
    Origin, 558

Maize (continued)
Endosperm 142, 144
Color and composition, 144
Non-shrunken, 144
Shrunken, 144
Starchy, 137
Sugary, 137
White, 144
Yellow, 144
Eversporting, 204
Fertility, 431, 445
Fertilization, **137,** 142, 144, 145, 152, 553, 555
Differential, 138, 140–142, 144
Selective, 137
Florida teosinte, **436,** 437, 445
Gene
Albescent, 439
Aleurone color, 439, 445
Anther ear, 438, 552, 554
Anthocyanin, 438
Aurea-1, 430, 445
Barren stalk, 565
Brachytic, 438
Brown midrib, 439
Brown midrib-2, 438
Brown midrib-3, 439
Chocolate, 437, 438, 445
Dwarf, 438, 552, 554
Fine striped, 438
Glossy, 439
Golden, 439
Japonica, 437, 445
Low sterile, 443–446
Pericarp, 432, 438
Purple, 439
Ramosa, 439
Red aleurone, 430, 437, 439
Semisterile, **431**–433, 437, 443, 444, 446
Semisterile-2, 430, 445
Shrunken, 430, 444, 445
Silkless, 558–560, 564–566
Sugary, 437, 439
Tassel seed, 439, 552–554, 558, 559, 561, 565, 566
Tassel seed-1, 553
Tassel seed-2, 552, 553, 558, 561
Tassel seed-4, 438, 553
Tassel seed-5, 150, 151
Tunicate, 152, 437, 439, 552, 554
Virescent-1, 430, 445
Virescent-2, 439
Virescent-5, 439
Waxy, 430, 431, 434, 437, 445
Yellow, 439
Gene mutations induced by X-rays and radium, 209
Germination, 436, 443
Green seedlings, 121
Inheritance, 554
Interchange, **430,** 431, 434, 439–445
Cytological studies, 439
Kernel
Red, 204
Striped, 204
Lateral inflorescence, 553, 554, 556–559, 564, 566
Maize (continued)
Linkage group, 137
Linkage tests for chromosome 8, 437
Linkage tests with factors in other chromosomes, 438
Meiosis, 175
Morphology, 430
Open ring orientation, 442
Ovule abortion, 558
Percent of functioning *Ga* and *ga* pollen to distorted ratios, 142
Pericarp, 189
Pistillate-flowered, 553, 555, 558, **561,** 563
Plant color, 142
Sun-red, 150
Pollen lethals, 263
Pollen-mixture tests, 143, 144
Pollen-tube growth, 263
Pollination, 137, 143, 144, 559, 561
Cross, 144
Self, 139, 141, 142, 144
Pop corn, 137, 144
Relation of *Ga ga* linkage with other genes, 142
Relation of *Ga ga* to genes other than *Su su*, 149
Seed sterility, 559, 564
Self-pollination, 431
Sex differentiation, **552,** 566
Sex integradation, 564, 566
Staminate-flowered, 553, 555, 558, **561,** 564, 566
Starchy, **138**–140, 144, 146, 148, 149, 151
Dent, 139
Flint, 139
Flour, 139
Pop, 139
Rice pop, 139, 140, 144, 150–152
Sterility, 431, 432, 441, 442, 444
Sterilization of pistillate flowers, 558
Sugary, 138–144, 146–149, 151, 152
Sweet corn, 139
Terminal inflorescence, 553, 554, 556, 558, 559, 561, 563, 565
Three-point tests, 152
Trisomic individuals derived from plants heterozygous for T8–9, 443
Trisomic inheritance, 443
Unisexual plants and their bearing on sex differentiation in other plants and in animals, 552
Deviation in sex ratio, 560
Environmental influences affecting floral expression, **554,** 556, 558
Genes affecting floral expression of maize, **552,** 557
Genetic composition of dioecious plants, 558
Relation of dioecious maize to sex in other organisms, 566
Specific sex-determining genes, 564
Variation in pistillate plants, 561
Variation in staminate plants, 564
Variability in position of the cross, 446
Variegated pericarp color in, 204
Virescent seedlings, 121
Yellow flint, 564

MALL, F. P., 497, 498
Mammalian birth weight, variability of, 329
Man
  Agnathia, 494, 497
  Anencephaly, 492
  Cephalocele, 492
  Club foot, 492
  Cyclopia, 487, 492, 494–498, 501
  Exomphalus, 492
  Harelip, 492, 495
  Inheritance of tendency toward disturbed metabolism, 484
  Otocephaly, 492, 497
  Polydactyly, 492, 495, 497
  situs inversus, 492
  spina bifida, 492
MANGELSDORF, P. C., 137, 140, 142–144, 146, 148, 149, 152, 156
Marchant calculator, 3
MARGOLIS, O. S., 18
Marine Biological Laboratory, 291
MARRYAT, D. C. A., 568, 569, 571, 574, 575, 577
MAUPAS, E., 27
MAXWELL, F. J., 281
Measurements of sperm heads, 262
MECKEL, 495, 496
Melandrium, 263, 560
  Pollen-tube growth, 263
Mendelian analysis, 75
Mendelian factors
  Euplotes, 48, 59
  Protozoa, 55
  Guinea pig, 486, 493, 508, 510, 546
Mendelian genetics, 55, 56, 484
Mendelian inheritance, 59, 60, 137, 484, 494, 542, 550
Mendelian law, 365, x
Mendelian ratio, 137, 142
Mendelian recessive
  Anemia, 376, 391
Mendelian segregation, 56, 477, 479, 490, 502
Mendelian units, 487
Mercuric chloride, 294
Metaphyta, 55
Metazoa, 55
METZ, C. W., 95, 98, 102, 104, 110, 111, 113, 188
Miastor, 468
MICHAELOFF, A. S., 264
Michigan State College, 368
Microphthalmia, 499–501
MILLARDET, A., 167
Mirabilis jalapa, **568**–571, 575, 577–579
  Breeding tests, 578
  Color distribution, 570
  Cross-pollination, 569
  Desirability for crossing work, 569
  Flaking, 575–577
  Flower-color inheritance, 571
  Flower-color mutation, **577**, 580
  Gene
    Crimson, 571, 575
    Light pink, 568
    Light rosaline purple, 571
    Magenta, 568, 571
    Orange red, 572
    Pink, 568, 570, 575, 578–580
Mirabilis jalapa (continued)
  Gene (continued)
    Purple, 576, 578–580
    Red, 568, 570, 571, 578–580
    Rose pink, 568, 571
    Scarlet red, 572
    White, 568, 570, 571, 575
    Yellow, 568, 570, 571, 575
  Original Burbank stock, 570
  Self-fertilization, 569
  Self flower color, **568**, 569, 571, 575, **577**, 579
  Self flower-color inheritance and mutation, **568**, 569, 575
  Materials and methods, 568
  Somatic mutation, 577, 578, 580
  Variety
    Crimson, 569–572, 574, 575, 577–579
    Dominant White, 569, 571, 572, 574–579
    Flesh Pink, 568, 569, 572, 575–580
    Light Buff, 568, 569, 577, 579, 580
    Light Pink, 570, 572, 574, 575–580
    Light Rosaline Purple, 568–570, 576, 578–580
    Magenta, 569, 572, 575
    Magenta Rose, 569, 574, 575
    Orange Red, 572, 574, 575, 577
    Pale Rosaline Purple, 576–578
    Pale Yellow, 574, 575
    Recessive White, 569, 574–577, 579
    Rhodamine Purple, 572, 574–576, 578
    Rose Pink, 569, 570, 572, 574–579
    Rose Red, 572, 574, 575
    Scarlet Red, 572, 574, 575
    Violet-Purple, 568, 569, 578–580
    White, 569, 570, 572, 574–579
    Yellow, 569–572, 574, 575, 578, 579
Missouri, University of, 209, 446
Mites, 264
MIXTER, R., 365, 366, 376
MOHR, O. L., 362, 493
MOORE, E. L., 42
MOORE, W. G., 209
MORGAGNI, 495
MORGAN, L. V., 18
MORGAN, T. H., 83, 116, 344, 352, 355–357, 494
Morphine, 496
Moss, 263, 265
Mouse, 114, 223, **365**–371, 375–**377**, 378, 380, 383, 386–389, **390**–392, 595
  Abnormality, 365, 367
  Breeding tests, 372
  Embryological development, 366
  Embryonic death, 367
  Face blaze, 382
  Gene
    Absence of *Corpus callosum*, 390
    Agouti, 377, 378, 383–385, 390, 391
    Akhissar spotting, 377
    Albinism, 365, 383, 389, 390, 595
    Anemia, 365–**368**, 370–373, **374**–**377**, **378**, 379, **380**–388, 390–392
      Mendelian recessive, 376, 391
    Angora, 391
    Bar Harbor bellyspot, 377
    Bellyspot, **368**–373, **374**, 377, **378**, 379, **380**–392

Mouse (continued)
Gene (continued)
Black, 368, 374, 378, 383–385
Black-and-tan, 378
Brachyury (short-tail), 368, 387, 390, 391
Brown, 384, 385
Brown-and-tan, 384
Chinchilla, 389
Chocolate, 377, 385, 386, 390, 391
Circling, 390
Dark belly, 378
Dilute brown, 374, 384
Dilution, 385, 390, 391
Dwarf, 388, 390, 391
Ectromelus, 391
Extreme dilution, 384
Flexed-tail, 365–367, **368**–373, **374**, 376–379, 381, 383, 388, 390, 391
Hairless, 377, **378**, 379, 390
Harelip and cleft palate, 390
Hound ear, 390
Hydrocephalus, 388, 390
Hyperglycaemia, 391
Interfrontal, 391
Kinky-tail, 365, 383
Leaden, 387, 388, 390, 391
Myencephalic blebs, 390
Naked, 386, 390, 391
Non-agouti, 374, 377, 378, 385
Parted frontals, 391
Piebald, 365, 368, 377–380, 383, 390, 391, 595
Pink-eye, 365, 383, 390, 391
Polydactylism, 391
Roberts' pink-eye, 383–385, 390, 391
Rodless, 378, 386, 390, 391
Sex, 383, 391
Shaker, 389, 390
Short-ear, 384, 390
Silver, 390, 391
Spotting, 372, 374, **377**, 379–381, 391
Dominant, 365, 378, **380**–383, 390, 391
Recessive, **365**, 377, 378, 380, 383, 391
Tan belly, 384
Twisted nose, 391
Waltzing, 387, 389–391
Waved, 390
White-bellied agouti, 377, 378, 390, 391
Wild-type, 378
Wildness, 391
Yellow, 384
Zavadskaia shaker, 389–391
As Mendelian recessive, 389
Gestation period, 367
Inheritance and linkage relations of a new recessive spotting, 365
Interpretation of F_2 and backcross results on the basis of complete linkage with normal overlaps, 373
Linkage tests
Between anemia (bellyspot) and dominant spotting, 380
Between bellyspot-anemia and hairless, 378
Between bellyspot-anemia and pink-eye, 383.

Mouse (continued)
Linkage tests (continued)
Between bellyspot-anemia and sex, 383
Mortality, 366, 369, 373, **374**, 377, 379
Postnatal, 366, 375–377, 391
Prenatal, 366, 375–377, 391
Mortality rates in crosses involving belly-spot-flexed-anemia, 374
Mutant characters, 390
Non-lethal defect, 493, 494
Sterility caused by inbreeding, 366
Susceptibility to tumor transplantation, 412
Tail mutations, 365
MULLER, H. J., 181, 185, 189, 209, 211, 212, 217, 221, 225, 234, 253, 254, 344–346, 353, 456–460, 467, 566
MURRAY, J. M., 377, 387, 392
Mus musculus, 365

NABOURS, R. K., 113, 265, **323**
NACHTSHEIM, H., 264
National Research Council, 82, 119, 237, 238, 268, 291, 394, 430
NAUDIN, CH., 394, 395, 399
NAVILLE, A., 95, 111, 113, 116, 117
NEBEL, S. R., 217
Nephritis, 498
NEWELL, W., 264
NEWMAN, H. H., 500
NOHARA, S., 560
Nyctaginaceae, 568

OEHLKERS, FR., 62
Oenothera, **62**, 67, 68, 71, 114, 174, 234
acutifolia, 67
angustifolia, 67, 70
brevistylis, 66–68, 70, 71
bullata, 67
Chromosome cohesion, 62, 71
Correlation between genetic linkage and chromosome cohesion, 63
Crossing over in chromosome rings, **62**, 64, 65–67
Dimorphism of pollen, 263
franciscana, 63
franciscana sulfurea, 63
unifolia, 67, 70
Gene
Flower size, 63, 71
Green, 68
Red cone, 70
Gone competition, 66, 67
Green hypanthium, 67
Interlocking of chromosomes, 157, 158, 160, 161, 164–166
Lamarckiana, 63, 66, **67**, 68, **69**, 70
Lamarckiana mut. *pallescens*, 160
liquida, 70
nanella, 67, 68
Paring
Parasynaptic, 64
Semi-parasynaptic, 64
Telosynaptic, 64
pervirens, 67, 69, 70

Oenothera (continued)
Pollen competition, 66, 67
Pollen lethals, 263
Pollen-tube growth, 263
Red-vein, 67
Rubricalyx, 67, 70
Rubrifolia, 67
Segmental interchange, 234
stenophylla, 67, 70
sulfurea, 66, 67, 70
supplena, 67
Types of chromosome interlocking, 160
vetaurea, 67
Ohio Journal of Science, 3
Ohio State University, 1
OLBRYCHT, T. M., 91
OLIVER, C. P., 234
ONSLOW, M., 571
Ontogeny, 467, 468, 580
Orthorrhapha, 110
Otocephaly, **471**, 474–478, 481, 484–490, 492–494, 496, 497, 499, 501–503, 519, 522
OTTLEY, A. M., 399
Ovule abortion, 431, 432, 441, 445

PAINTER, T. S., **175**, 185, 354, **448**, 456, 460, 467, 468, 566
Paleontology, 506
PANTIN, C. F. A., 484
PAPANICOLAU, G. N., 508
Paramecium, 25, 31, 36, 38, 49
aurelia, 42
caudatum, 42
Paratettix, 113
PARKER, J. H., 81, xi
PARAMENTER, C. L., 263
PARMENTIER, ix
Parthenogenesis 237, 323
PASCHER, A., 43
PATTERSON, J. T., 187, 189, 199, 204, 205, 218, 219, 221, **223**, 226, 353, 354, 448, 451, 457
PEARL, R., 600
PEARSON, O., 514, 517, 519
Pennsylvania College for Women, 291
PERMAR, D., 365, 366, 376, 391
Petunia, **394**–396, 398–401, 405–407, 410, 411
alba, 399
axillaris, 396, 398–**400**, 401, 404–**406**, 407, 409–411
Cytological and genetical study of, 394
Determination of pollen color, **396**, 398
Materials used, 396
Methods, **396**, 397
Color matching, 397
Securing pollen, 397
Fruit and seed formation, 404
Garden, 400
Gene
Blue, 394–396, 400–402, 404–408
Gray, 394, 395, 400, 407–410
Green, 396, 398, 400–402, 404–411
Orange, 401, 406
Purple, 394, 395, 398, 399, 406, 407
White, 394, 395, 400, 406, 407
Yellow, 394–398, 400–402, 404–410
Germination, 400, 401
Hybridization, 400

Petunia (continued)
Inbreeding, 399
Increase in susceptibility due to inbreeding, 399
Monohybrid inheritance, 396
nyctaginiflora, 394, 398
Parodii, 399
Pollen abortion, 404
Pollen color, **394**–396, 399, 400, 402, 404, 407, 409
Cadet Gray, 399, 401, 406
Complete list, 403
Greenish Glaucous-Blue, 401, 410
Naphthalene Yellow, 406
Pale Dull Glaucous-Blue, 406
Pale Green Yellow, 398
Pale Viridine Yellow, 398
Pinard Yellow, 399, 401, 408
Seafoam Yellow, 406
Turtle Green 398, 406, 408, 410
Pollen color inheritance, **394**–396, 400, **410**, 411
Selective fertilization, 405
Self-fertilization, 399
Sterility, 405
Susceptibility to disease, 399
Variation in color tone due to external or ecological factors, 402
violacea, 394, 398–**400**, 401, 404–407, **410**, 411
Phenotypes
Immune, 412
Susceptible, 412
Phenyl-thio-carbamide, 3
PHILLIPS, J. C., 313, 314, 316
PHILP, J., 262
PHIPPS, I. F., 553
Phragmatobia, 114
Phragmatobia fuliginosa, **115**
Phrynotettix, 114
Phylogeny, 448
PICTET, A., 506, 508, 511, 522, 550
PIERSOL, G. A., 501
PINCUS, G., 378, 380, 392
Pittsburgh, University of, **237**, 238, 291
Planaria, 499
Plant cytology,
Plants, ix
Effect of external conditions on sexual expression 556
Flower color, 189
Fruit color, 189
Leaf color, 189
Unfertilized spores, 237
PLATE, L., 365, 383
Platypoecilus maculatus, 595, 596
PLOUGH, H. H., 225
PLUNKETT, C. R., 18
Poeciliinae, 581, 595
Pollen abortion, 431, 432, 441, 442, 445
Pollen-tube growth
Datura, 263
Melandrium, 263
Oenothera, 263
Rumex, 263
Triticum, 263
Zea, 263

Polydactyly, 492, 495, 497, 506–511, 513–515, 517, 519, 521–523, 527–536, 538–544, 546–548, 550
POLYPHEMUS, 494
Polystichum angulare, 263
Potato, ix, x, xi
POTTER, I., 285
Poultry
  Egg size an expression of maternal differences, 341
Pregnancy, 581
Prematuration heredity, 484
Primula, 174
Probable error formula, **4**, **7**, 8
Protista, 109
Protozoa, 25, 42, 43, 55–57, 60
  Inheritance, 59
PUNNETT, R. C., 313, 600, 601, 612
Pygopagus, 501
PYLE, W. S., 495
Pyrex beaker, 26

QUISENBERRY, K. S., 74

RABAUD, E., 496
Rabbit, **293**, 294, 298, 300, 308, 595
  Calf lens injection
    Descendants of treated animals, 304
    Effect on parents and descendants, 293
      Experimental results, **294**, 304
  Calf lens material, **293**–296, 298–300, 306, 308
  Defective-eyed, 294, 299, 304–306, 309
  Embryonic development, 338
  Environment, 307, 309
  Eye defects, 293, 295, 303
  Fetal resorption, 296
  Heredity, 307, 309
  Infection, 306, 307, 309
  Inheritance, 297
  Lens, 295, 297, 300
  Mortality, 301
  Normal-eyed, 298, 299, 301, 303–306, 308, 309
  Placental permeability, 307, 309
  Possible causes of eye defects
    Difference in placental permeability, 307, 309
    Environment, 307, 309
    Heredity, 307, 309
    Infection by disease-producing organisms, 307, 309
  Precipitin titer, 293–295, 297–300, 303, 304, 308
  Serum titration, 301
RACHOW, A., 581
Radium, 209
RAFFEL, D., 25, 38
Rana fusca, 499
RASMUSON, H., 395
Rat, Irish spotting factor in Norway, 368
REDFIELD, H., 86, 102, 225, 484
REED, G. M., 80
REED, S. C., 392
REGAN, C. T., 581
RENNER, O., 62, 63, 65
Repulsion tests, 238, 239, 252, 253, 259, 260, 262
REYNOLDS, B. D., 42
RHOADES, M. M., 355, 362, 437
Rhoeo, 114
RICE, J. B., 331, 332, 339
RIDDLE, O., 556
Ridgway's Color Standards and Nomenclature, 569
Ringer's solution (Frog formula), 449
RITTERSHAUS, T., 610
ROBERTS, E., 383, 384
ROBERTSON, D. W., 121, 124, 126, 129, 265
ROBERTSON, W. R. B., 323
Rockefeller Institute for Medical Research, 189
ROGERON, G., 313, 314, 316
Rotatametre Biot, ix
Rothamsted Experimental Station, 119
Rotifers, 264
RUDLOFF, F., 62
Rumex, 114, 263, 560
  acetosa, 115
  Pollen-tube growth, 263

ST. HILAIRE, E. G., 496
ST. HILAIRE, I. G., 473, 496
Saccharimetre Soleil, ix
Salamandra, 157
SANSOME, F. W., 262
Sarcophage, 110
SAX, K., 113, **157**, 159, 161, 162, 164
SCHAFFNER, J. H., 555
SCHEREMETJEVA, E. A., 106, 110
SCHOTT, R. G., 190
SCHRADER, F., 111, 112
SCHRADER, S. H., 111, 112
SCHREINER, 157
SCHULTZ, J., 102, 107, **344**, 352, 356, 357, 362
SCHUMACHER, F. W., 582
SCHWALBE, E., 497, 501
SCHWEITZER, M. D., 93
Science, 451
SCRIBNER, E. I., 19
Segregation of gametic characters, 262
Selection, artificial, 412
  Elimination of multiple dominants
    Brother-sister mating, 424
    Random mating, 414
    Self-fertilization, 419
  Elimination of multiple recessives
    Brother-sister mating, 427
    Random mating, 417
    Self-fertilization, 419
  Mathematical theory of, 412
  Relation between gametes of successive generations of a random mating population, without selection, 413
  Selection of a single dominant
    Brother-sister mating, 421
  Selection of dominants in an autotetraploid
    Random mating, 418
    Self-fertilization, 420
  Selection of multiple dominants
    Brother-sister mating, 424
    Random mating, 413
    Self-fertilization, 418
  Theorems on, 412

Selection, individual, ix
Selection, mathematical theory of natural, 412
Self-fertilization, 55
Self-pollination, 66
SEREBROVSKY, A. S., 546, 600, 610, 612
Serological similarity, 295
Sex determination, 566
Sex reversal in plants and animals, 558
SEXTON, E. W., 484
Sexual dimorphism, 22, 23
SHARP, L. W., 556
SHOWALTER, H. M., 568
SHULL, G. H., 62, 63, 66–70
Silkworm, 484
  Serosa colors, 484
  Voltinism, 484
SINOTO, Y., 552
SIVERTZEV-DOBZHANSKY, N. P., 345, 351
SLIFER, E. H., 265
SMITH, E. A., 293
SMITH, W. K., 82
Smut fungus, 553
Snapdragon, eversporting, 204
SNELL, G. D., 238, 377, 378, 388
SNYDER, L. H., 1, 3
Societé Royal d'Agriculture, ix
SONNEBORN, T. M., 25, 44
SPEICHER, B. R., 269
SPEMANN, H., 497, 498
Spermatogenesis
  Normality of meiotic phenomena, 463
Spinacia, 560
STADLER, L. J., 209, 446
Stain
  Aceto-carmine, 162, 163, 168, 169, 176, 177, 179, 450, 451
  Feulgen's, 177
  Gentian violet, 350
  Haematoxylin, 95
  Iron-aceto-carmine, 449
  Iron alum solution, 162
STANCATI, M. F., 238, 272, 273, 276
Stark Brothers, 570
STEBBINS, F., 323
STEERE, W. C., 399
Stenobothrus, 157
STERN, C., 102, 116, 185, 345
STEVENS, N. M., 95, 98, 110, 111
STOCKARD, C. R., 484, 497, 498, 500, 501, 506, 508, 550
STOCKING, R. J., 42, 50
STONE, L. S., 497
STONE, W. S., 176, 223, 234, 448, 449, 451, 457–461, 465, 468
STRANDSKOV, H. H., 476
STRASBURGER, 555
Strawberry, 167, x
STURTEVANT, A. H., 19, 21, 22, 63, 68, 69, 71, 83, 219, 234, 262, 344, 345, 347, 349, 352, 363, 494
SUCHE, M. L., 223
Sugar beet, ix, x, xi
Sweet pea, x
Swine, **329**, 330, 332, 334–338, **339**–342
  Assortative mating, 338
  Birth weight, **329**, 330, **331**, **332**, 334–336, **337**, 342
    Significance of effect of litter size, 334
Swine (continued)
  Birth Weight (continued)
    Significance of sex difference, 332
  Birth weight as expression of genetic differences between dams, 341
  Correlations between birth weight, litter size, and length of gestation period, 335
  Cyclopia, 487
  Environment common to litter-mates, 341
  Factors affecting birth weight, 329, 331
    Breed differences in birth weight, 336
    Combined effects of year and breed, 336
    Condition and vigor, 339
    Effect of differences between reasonably good rations, 338
    Effect of sex on birth weight, 331
    How litter size exerts its effect, 334
    Influence of sire, 337
    Length of gestation period, 339
    Litter size and birth weight, **332**, 342
    Sex ratio, 330
    Weight differences between litter-mates, **340**, 341
    Yearly variations in birth weight, 336
  Hampshire, 329
  Heredity, 341, 342
  Length of gestation period, 335, 336, **339**
  Litter size, **332**, 334, 335, 342
  Poland China, 329, 335
  Prenatal development, 336
  Random errors in weighing, 341
  Relation between variable and birth weight, 329
  Relative importance of heredity and environment, 341–343
  Sex ratio not related to litter size, 342
  Tamworth, 329
  Variance due to dominance of non-cumulative interaction of genes, 342
  Variance in individual birth weights, 342
Syncephalus thoracopagus janiceps, 502

TÄNZER, E., 469
Taste deficiency, 3
Teachers College of the City of Boston, 581
Teleost, 581
Test matings, 1
Tettigidae, 113, 265
Texas, University of, 175, 209, 223, 448
Thelytoky, facultative, 265
Thrips, 264
THURSTONE, L. L., 517
TIEDEMANN, 487
Tilletia tritici, **73**, 80, 82
Tipula paludose, 116
Toad egg, fertilization of, 498
TORVIK-GREB, M. M., 238, 273, 276, 280, 285
TOYAMA, K., 484
Tradescantia, **157**, 158, 160, 164, 217
  bracteata, 161
  edwardsiana, 161–165
  gigantea, 161
  hirsutiflora, 161
  humilis, 161
  Interlocking of bivalent chromosomes, **157**, **161**, 162, 164, 165
  pilosa, 217
  reflexa, 161

Tricker, William, Inc., 583, 586
Triticum, pollen-tube growth of, 263
Triton, Cyclopia, 497
TURNER, J. P., 27, 43, 57, **58**
Turpentine, 496
Twinning, 500, 501
TYLER, R., 8

Ultra-violet radiation, 42
United States Bureau of Animal Industry, 471, 473, 474, 478, 509, 510, 537, 541, 542
United States Department of Agriculture, 74, **119**, 330, 471
University
  California, 73, 412
  Chicago, **471**,474, **506, 537**
  Columbia, 93, 366
  Cornell, **137**, 446
  Harvard, 157, 167, 365
  Johns Hopkins, 25, 40, 189
  Missouri, 209, 446
  Ohio State, 1
  Pittsburgh, **237**, 238, 291
  Texas, 175, 209, 223, 448
  Virginia, 568
  Western Reserve, 18
  Wisconsin, 310
University College, **83**, 93

VAN ATTA, E. A., 189, 345, 352, 354, 362, 363
VAN ATTA, E. W., 234
VAN HOUTTE, L., 437
Vaseline, 176, 450
Vegetative reproduction, 29, 37, 38, 40, 42, 55
VILMORIN ANDRIEUX ET CIE, ix, xi
VILMORIN, DE, CHARLES H. L. L., x
VILMORIN, DE, ELISA L., x
VILMORIN, DE, Mme. HENRY L., x
VILMORIN, DE, J. M. P. L., x, xi
VILMORIN, DE, JACQUES L., x
VILMORIN, DE, MAURICE L., x
VILMORIN, DE, PEILIPPE A. L., ix
VILMORIN, DE, PHILIPPE L., x
VILMORIN, DE, PHILIPPE V. L., ix
VILMORIN, DE, PIERRE LOUIS F. L., ix, x, xi
VILMORIN, DE, ROGER, xi
Virginia, University of, 568
VRIES, DE, H., 70, 204

WAGNER, K., 471
WALDRON, R. L., 81
WALSH, L. B., 400
WALTER, P. J., 238
WARREN, D. C., **600**, 609, 610
Washington Square College, 18
Washington State College, 81
Wasp, 255, 261
WASSINA, E. T., 600, 612
WEATHERWAX, P., 557
WEINSTEIN, A., 345
Wellesley College, 394
WENTZ, J. B., 150
WERBER, E. I., 484, 498
Western Reserve University, 18
Wheat, x, xi
Wheat hybrid
  Abnormality, 82
  Albit, 80, 81
  Baart, 73–79
  Banner Berkeley, 73, 79–81
  Florence, 80–82
  Hard Federation, 79
  Hussar, 73, 80, 81
  Martin, 73–78, 80–82
  Odessa, 73, 79, 80
  Oro, **73**, 74, 76–81
  Regal, 80, 81
  Resistance factor
    Hussar, 73, 74, 79
    Martin, 73–75, 79, 81
    Turkey, 73, 74, 79, 80
  Ridit, 81
  Sherman, 73–80
  Turkey, 73, 74, 76–81
  White Federation, 73, 74
  White Odessa, 73, 79–81
WHITE, O. E., 568, 570–572, 575, 576, 579, 580
WHITING, A. R., 209, 280
WHITING, P. W., 209, **237**, 239, 256, **268**, 269, 273, 277, 280, 284, 285, 290
WILDER, H. H., 497
WILSON, E. B., 466
WINGE, O., 552, 560, 595, 596
Wisconsin, University of, 310
WOLFF, 496
WOSSKRESSENSKY, N. M., 106, 110
WRIEDT, C., 493
WRIGHT, S., 334, 338, 341, **471**–473, 481, 485, 494, **506**, 509, 510, 515, 521, 527, 529, **537**, 546, 550

Xiphophorus, **581**, 591, 595–597
  brevis, 581
  helleri, **581**, 585, 598
    Crescent and twin spot marking, 591
    Gene
      Crescent, **581**, 583–587, 590, **591**–595, 597, 598
      Non-crescent, 583–585, 587, 588, 590–598
      Non-spot, 588, 591, 598
      Twin spot, **581**, 586–588, 590, **591**–595, 598
    Inheritance of crescent and twin spot marking, **581**, 598
      Breeding technique, 581
      Experimental data, 582
      Sex linkage, **595**, 598
    Sex inheritance, 598
  montezumae, 581
  rachovii, 581, 598

YAMPOLSKY, C., 555
YARNELL, S. H., 171
Yeast culture, 210, 211, 227
Yeast foam, 19

ZELENY, C., 22, 262
ZIMMERMANN, K., 388
ZIRKLE, C., 412, 413, 416, 417